



## Journal of Neurology, Neurosurgery & Psychiatry

Full text from 1997 at JNNP Online

Journal List > J Neurol Neurosurg Psychiatry > v.75(Suppl 2); Jun 2004

- Summary
- Selected References
- PDF (373K)
- Contents
- Archive

#### Related material:

PubMed related arts

GO

#### PubMed articles by:

Collins, V.

J Neurol Neurosurg Psychiatry. 2004 June; 75(Suppl 2): ii2-ii11.  
doi: 10.1136/jnnp.2004.040337.

PMCID: PMC1765661

[Copyright notice](#)

## BRAIN TUMOURS: CLASSIFICATION AND GENES

V Collins

This article has been [cited by](#) other articles in PMC.

### Full Text

The Full Text of this article is available as a [PDF](#) (373K).

### Selected References

These references are in PubMed. This may not be the complete list of references from this article.

- Davis, RL; Onda, K; Shubuya, M; Lamborn, K; Hoshino, T. Proliferation markers in gliomas: a comparison of BUDR, KI-67, and MIB-1. *J Neurooncol.* 1995;24(1):9-12. [[PubMed](#)]
- Williams, GH; Romanowski, P; Morris, L; Madine, M; Mills, AD; Stoeber, K; Marr, J; Laskey, RA; Coleman, N. Improved cervical smear assessment using antibodies against proteins that regulate DNA replication. *Proc Natl Acad Sci U S A.* 1998 Dec 8;95(25):14932-14937. [[PubMed](#)]
- Listernick, R; Charrow, J; Gutmann, DH. Intracranial gliomas in neurofibromatosis type 1. *Am J Med Genet.* 1999 Mar 26;89(1):38-44. [[PubMed](#)]
- Alshail, E; Rutka, JT; Becker, LE; Hoffman, HJ. Optic chiasmatic-hypothalamic glioma. *Brain Pathol.* 1997 Apr;7(2):799-806. [[PubMed](#)]
- Jenkins, RB; Kimmel, DW; Moertel, CA; Schultz, CG; Scheithauer, BW; Kelly, PJ; Dewald, GW. A cytogenetic study of 53 human gliomas. *Cancer Genet Cytogenet.* 1989 Jun;39(2):253-279. [[PubMed](#)]
- Bigner, SH; McLendon, RE; Fuchs, H; McKeever, PE; Friedman, HS. Chromosomal characteristics of childhood brain tumors. *Cancer Genet Cytogenet.* 1997 Sep;97(2):125-134. [[PubMed](#)]
- Zattara-Cannoni, H; Gambarelli, D; Lena, G; Dufour, H; Choux, M; Grisoli, F; Vagner-Capodano, AM. Are juvenile pilocytic astrocytomas benign tumors? A cytogenetic study in 24 cases. *Cancer Genet Cytogenet.* 1998 Jul 15;104(2):157-160. [[PubMed](#)]
- Sanoudou, D; Tingby, O; Ferguson-Smith, MA; Collins, VP; Coleman, N. Analysis of pilocytic astrocytoma by comparative genomic hybridization. *Br J Cancer.* 2000 Mar;82(6):1218-1222. [[PubMed](#)]
- James, CD; He, J; Carlom, E; Mikkelsen, T; Ridderheim, PA; Cavenee, WK; Collins, VP. Loss of genetic information in central nervous system tumors common to children and young adults. *Genes Chromosomes Cancer.* 1990 Jul;2(2):94-102. [[PubMed](#)]
- Gutmann, DH; Donahoe, J; Brown, T; James, CD; Perry, A. Loss of neurofibromatosis 1 (NF1) gene expression in NF1-associated pilocytic astrocytomas. *Neuropathol Appl Neurobiol.* 2000 Aug;26(4):361-367. [[PubMed](#)]
- Kluwe, L; Hagel, C; Tatagiba, M; Thomas, S; Stavrou, D; Ostertag, H; von Deimling, A; Mautner, VF. Loss of NF1 alleles distinguish sporadic from NF1-associated pilocytic astrocytomas. *J Neuropathol Exp Neurol.* 2001 Sep;60(9):917-920. [[PubMed](#)]
- Patt, S; Gries, H; Giraldo, M; Cervos-Navarro, J; Martin, H; Jänisch, W; Brockmüller, J. p53 gene mutations in human astrocytic brain tumors including pilocytic astrocytomas. *Hum Pathol.* 1996 Jun;27(6):586-589. [[PubMed](#)]
- Phelan, CM; Liu, L; Rutledge, MH; Müntzning, K; Ridderheim, PA; Collins, VP. Chromosome 17 abnormalities and

- lack of TP53 mutations in paediatric central nervous system tumours. *Hum Genet.* 1995 Dec;96(6):684–690. [[PubMed](#)]
- Uhlmann, Karen; Rohde, Klaus; Zeller, Constanze; Szymas, Janusz; Vogel, Siegfried; Marczynek, Karola; Thiel, Gundula; Nürnberg, Peter; Laird, Peter W. Distinct methylation profiles of glioma subtypes. *Int J Cancer.* 2003 Aug 10;106(1):52–59. [[PubMed](#)]
  - Gonzalez-Gomez, Pilar; Bello, M Josefa; Lomas, Jesus; Arjona, Dolores; Alonso, M Eva; Amiñoso, Cinthia; De Campos, Jose M; Vaquero, Jesus; Sarasa, Jose L; Casartelli, Cacilda; Rey, Juan A. Epigenetic changes in pilocytic astrocytomas and medulloblastomas. *Int J Mol Med.* 2003 May;11(5):655–660. [[PubMed](#)]
  - Bijlsma, EK; Voesten, AM; Bijleveld, EH; Troost, D; Westerveld, A; Mérel, P; Thomas, G; Hulsebos, TJ. Molecular analysis of genetic changes in ependymomas. *Genes Chromosomes Cancer.* 1995 Aug;13(4):272–277. [[PubMed](#)]
  - Ebert, C; von Haken, M; Meyer-Puttlitz, B; Wiestler, OD; Reifenberger, G; Pietsch, T; von Deimling, A. Molecular genetic analysis of ependymal tumors. NF2 mutations and chromosome 22q loss occur preferentially in intramedullary spinal ependymomas. *Am J Pathol.* 1999 Aug;155(2):627–632. [[PubMed](#)]
  - Kraus, JA; de Millas, W; Sörensen, N; Herbold, C; Schichor, C; Tonn, JC; Wiestler, OD; von Deimling, A; Pietsch, T. Indications for a tumor suppressor gene at 22q11 involved in the pathogenesis of ependymal tumors and distinct from hSNF5/INII. *Acta Neuropathol.* 2001 Jul;102(1):69–74. [[PubMed](#)]
  - Lamszus, K; Lachenmayer, L; Heinemann, U; Kluwe, L; Finckh, U; Höppner, W; Stavrou, D; Fillbrandt, R; Westphal, M. Molecular genetic alterations on chromosomes 11 and 22 in ependymomas. *Int J Cancer.* 2001 Mar 15;91(6):803–808. [[PubMed](#)]
  - von Haken, MS; White, EC; Daneshvar-Shyesther, L; Sih, S; Choi, E; Kalra, R; Cogen, PH. Molecular genetic analysis of chromosome arm 17p and chromosome arm 22q DNA sequences in sporadic pediatric ependymomas. *Genes Chromosomes Cancer.* 1996 Sep;17(1):37–44. [[PubMed](#)]
  - Alonso, M Eva; Bello, M Josefa; Arjona, Dolores; Gonzalez-Gomez, Pilar; Lomas, Jesus; de Campos, Jose M; Kusak, M Elena; Isla, Alberto; Rey, Juan A. Analysis of the NF2 gene in oligodendrogliomas and ependymomas. *Cancer Genet Cytogenet.* 2002 Apr 1;134(1):1–5. [[PubMed](#)]
  - Urioste, M; Martínez-Ramírez, A; Cigudosa, JC; Colmenero, I; Madero, L; Robledo, M; Martínez-Delgado, B; Benítez, J. Complex cytogenetic abnormalities including telomeric associations and MEN1 mutation in a pediatric ependymoma. *Cancer Genet Cytogenet.* 2002 Oct 15;138(2):107–110. [[PubMed](#)]
  - Nozaki, M; Tada, M; Matsumoto, R; Sawamura, Y; Abe, H; Iggo, RD. Rare occurrence of inactivating p53 gene mutations in primary non-astrocytic tumors of the central nervous system: reappraisal by yeast functional assay. *Acta Neuropathol.* 1998 Mar;95(3):291–296. [[PubMed](#)]
  - Ohgaki, H; Eibl, RH; Wiestler, OD; Yasargil, MG; Newcomb, EW; Kleihues, P. p53 mutations in nonastrocytic human brain tumors. *Cancer Res.* 1991 Nov 15;51(22):6202–6205. [[PubMed](#)]
  - Burger, PC; Yu, IT; Tihan, T; Friedman, HS; Strother, DR; Kepner, JL; Duffner, PK; Kun, LE; Perlman, EJ. Atypical teratoid/rhabdoid tumor of the central nervous system: a highly malignant tumor of infancy and childhood frequently mistaken for medulloblastoma: a Pediatric Oncology Group study. *Am J Surg Pathol.* 1998 Sep;22(9):1083–1092. [[PubMed](#)]
  - Biegel, JA; Rorke, LB; Emanuel, BS. Monosomy 22 in rhabdoid or atypical teratoid tumors of the brain. *N Engl J Med.* 1989 Sep 28;321(13):906. [[PubMed](#)]
  - Bigner, SH; Mark, J; Friedman, HS; Biegel, JA; Bigner, DD. Structural chromosomal abnormalities in human medulloblastoma. *Cancer Genet Cytogenet.* 1988 Jan;30(1):91–101. [[PubMed](#)]
  - Biegel, JA; Burk, CD; Barr, FG; Emanuel, BS. Evidence for a 17p tumor related locus distinct from p53 in pediatric primitive neuroectodermal tumors. *Cancer Res.* 1992 Jun 15;52(12):3391–3395. [[PubMed](#)]
  - Reardon, DA; Michalkiewicz, E; Boyett, JM; Sublett, JE; Entekin, RE; Ragsdale, ST; Valentine, MB; Behm, FG; Li, H; Heideman, RL; Kun, LE; Shapiro, DN; Look, AT. Extensive genomic abnormalities in childhood medulloblastoma by comparative genomic hybridization. *Cancer Res.* 1997 Sep 15;57(18):4042–4047. [[PubMed](#)]
  - Bayani, J; Zielenska, M; Marrano, P; Kwan Ng, Y; Taylor, MD; Jay, V; Rutka, JT; Squire, JA. Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping. *J Neurosurg.* 2000 Sep;93(3):437–448. [[PubMed](#)]
  - Michiels, Erna M C; Weiss, Marjan M; Hoovers, Jan M N; Baak, Jan P A; Voûte, PA; Baas, Frank; Hermsen, Mario A

- J A. Genetic alterations in childhood medulloblastoma analyzed by comparative genomic hybridization. *J Pediatr Hematol Oncol.* 2002 24(3):205–210. Mar–Apr; [[PubMed](#)]
- Gilbertson, R; Herman, R; Pietsch, T; Pinto, L; Scotting, P; Allibone, R; Ellison, D; Perry, R; Pearson, A; Lunec, J. Novel ERBB4 juxtamembrane splice variants are frequently expressed in childhood medulloblastoma. *Genes Chromosomes Cancer.* 2001 Jul;31(3):288–294. [[PubMed](#)]
  - Vorechovský, I; Tingby, O; Hartman, M; Strömberg, B; Nister, M; Collins, VP; Toftgård, R. Somatic mutations in the human homologue of Drosophila patched in primitive neuroectodermal tumours. *Oncogene.* 1997 Jul 17;15(3):361–366. [[PubMed](#)]
  - Pietsch, T; Waha, A; Koch, A; Kraus, J; Albrecht, S; Tonn, J; Sörensen, N; Berthold, F; Henk, B; Schmandt, N; Wolf, HK; von Deimling, A; Wainwright, B; Chenevix-Trench, G; Wiestler, OD; Wicking, C. Medulloblastomas of the desmoplastic variant carry mutations of the human homologue of Drosophila patched. *Cancer Res.* 1997 Jun 1;57(11):2085–2088. [[PubMed](#)]
  - Koch, A; Waha, A; Tonn, JC; Sörensen, N; Berthold, F; Wolter, M; Reifenberger, J; Hartmann, W; Friedl, W; Reifenberger, G; Wiestler, OD; Pietsch, T. Somatic mutations of WNT/wingless signaling pathway components in primitive neuroectodermal tumors. *Int J Cancer.* 2001 Aug 1;93(3):445–449. [[PubMed](#)]
  - Dahmen, RP; Koch, A; Denkhaus, D; Tonn, JC; Sörensen, N; Berthold, F; Behrens, J; Birchmeier, W; Wiestler, OD; Pietsch, T. Deletions of AXIN1, a component of the WNT/wingless pathway, in sporadic medulloblastomas. *Cancer Res.* 2001 Oct 1;61(19):7039–7043. [[PubMed](#)]
  - Reifenberger, J; Wolter, M; Weber, RG; Megahed, M; Ruzicka, T; Lichter, P; Reifenberger, G. Missense mutations in SMOH in sporadic basal cell carcinomas of the skin and primitive neuroectodermal tumors of the central nervous system. *Cancer Res.* 1998 May 1;58(9):1798–1803. [[PubMed](#)]
  - Taylor, Michael D; Liu, Ling; Raffel, Corey; Hui, Chi-chung; Mainprize, Todd G; Zhang, Xiaoyun; Agatep, Ron; Chiappa, Sharon; Gao, Luzhang; Lowrance, Anja; Hao, Aihau; Goldstein, Alisa M; Stavrou, Theodora; Scherer, Stephen W; Dura, Wieslaw T; Wainwright, Brandon; Squire, Jeremy A; Rutka, James T; Hogg, David. Mutations in SUFU predispose to medulloblastoma. *Nat Genet.* 2002 Jul;31(3):306–310. [[PubMed](#)]
  - Herms, J; Neidt, I; Lüscher, B; Sommer, A; Schürmann, P; Schröder, T; Bergmann, M; Wilken, B; Probst-Cousin, S; Hernáiz-Driever, P; Behnke, J; Hanefeld, F; Pietsch, T; Kretschmar, HA. C-MYC expression in medulloblastoma and its prognostic value. *Int J Cancer.* 2000 Sep 20;89(5):395–402. [[PubMed](#)]
  - Grotzer, MA; Hogarty, MD; Janss, AJ; Liu, X; Zhao, H; Eggert, A; Sutton, LN; Rorke, LB; Brodeur, GM; Phillips, PC. MYC messenger RNA expression predicts survival outcome in childhood primitive neuroectodermal tumor/medulloblastoma. *Clin Cancer Res.* 2001 Aug;7(8):2425–2433. [[PubMed](#)]
  - MacDonald, TJ; Brown, KM; LaFleur, B; Peterson, K; Lawlor, C; Chen, Y; Packer, RJ; Cogen, P; Stephan, DA. Expression profiling of medulloblastoma: PDGFRA and the RAS/MAPK pathway as therapeutic targets for metastatic disease. *Nat Genet.* 2001 Oct;29(2):143–152. [[PubMed](#)]
  - Gilbertson, Richard J; Clifford, Steven C. PDGFRB is overexpressed in metastatic medulloblastoma. *Nat Genet.* 2003 Nov;35(3):197–198. [[PubMed](#)]
  - Biernat, W; Tohma, Y; Yonekawa, Y; Kleihues, P; Ohgaki, H. Alterations of cell cycle regulatory genes in primary (de novo) and secondary glioblastomas. *Acta Neuropathol.* 1997 Oct;94(4):303–309. [[PubMed](#)]
  - von Deimling, A; von Ammon, K; Schoenfeld, D; Wiestler, OD; Seizinger, BR; Louis, DN. Subsets of glioblastoma multiforme defined by molecular genetic analysis. *Brain Pathol.* 1993 Jan;3(1):19–26. [[PubMed](#)]
  - James, CD; Carlom, E; Dumanski, JP; Hansen, M; Nordenskjold, M; Collins, VP; Cavenee, WK. Clonal genomic alterations in glioma malignancy stages. *Cancer Res.* 1988 Oct 1;48(19):5546–5551. [[PubMed](#)]
  - Reifenberger, G; Ichimura, K; Reifenberger, J; Elkahoun, AG; Meltzer, PS; Collins, VP. Refined mapping of 12q13-q15 amplicons in human malignant gliomas suggests CDK4/SAS and MDM2 as independent amplification targets. *Cancer Res.* 1996 Nov 15;56(22):5141–5145. [[PubMed](#)]
  - Ichimura, K; Bolin, MB; Goike, HM; Schmidt, EE; Moshref, A; Collins, VP. Deregulation of the p14ARF/MDM2/p53 pathway is a prerequisite for human astrocytic gliomas with G1-S transition control gene abnormalities. *Cancer Res.* 2000 Jan 15;60(2):417–424. [[PubMed](#)]
  - McCormack, BM; Miller, DC; Budzilovich, GN; Voorhees, GJ; Ransohoff, J. Treatment and survival of low-grade astrocytoma in adults—1977-1988. *Neurosurgery.* 1992 Oct;31(4):636–642. [[PubMed](#)]

- Simpson, JR; Horton, J; Scott, C; Curran, WJ; Rubin, P; Fischbach, J; Isaacson, S; Rotman, M; Asbell, SO; Nelson, JS, et al. Influence of location and extent of surgical resection on survival of patients with glioblastoma multiforme: results of three consecutive Radiation Therapy Oncology Group (RTOG) clinical trials. *Int J Radiat Oncol Biol Phys*. 1993 May 20;26(2):239–244. [[PubMed](#)]
- Kimmel, DW; O'Fallon, JR; Scheithauer, BW; Kelly, PJ; Dewald, GW; Jenkins, RB. Prognostic value of cytogenetic analysis in human cerebral astrocytomas. *Ann Neurol*. 1992 May;31(5):534–542. [[PubMed](#)]
- Weber, RG; Sabel, M; Reifenberger, J; Sommer, C; Oberstrass, J; Reifenberger, G; Kiessling, M; Cremer, T. Characterization of genomic alterations associated with glioma progression by comparative genomic hybridization. *Oncogene*. 1996 Sep 5;13(5):983–994. [[PubMed](#)]
- Rasheed, BK; McLendon, RE; Herndon, JE; Friedman, HS; Friedman, AH; Bigner, DD; Bigner, SH. Alterations of the TP53 gene in human gliomas. *Cancer Res*. 1994 Mar 1;54(5):1324–1330. [[PubMed](#)]
- James, CD; Carlbom, E; Nordenskjold, M; Collins, VP; Cavenee, WK. Mitotic recombination of chromosome 17 in astrocytomas. *Proc Natl Acad Sci U S A*. 1989 Apr;86(8):2858–2862. [[PubMed](#)]
- Alonso, ME; Bello, MJ; Lomas, J; Gonzalez-Gomez, P; Arjona, D; De Campos, JM; Gutierrez, M; Isla, A; Vaquero, J; Rey, JA. Absence of mutation of the p73 gene in astrocytic neoplasms. *Int J Oncol*. 2001 Sep;19(3):609–612. [[PubMed](#)]
- Huang, H; Colella, S; Kurrer, M; Yonekawa, Y; Kleihues, P; Ohgaki, H. Gene expression profiling of low-grade diffuse astrocytomas by cDNA arrays. *Cancer Res*. 2000 Dec 15;60(24):6868–6874. [[PubMed](#)]
- Westermark, B; Heldin, CH; Nistér, M. Platelet-derived growth factor in human glioma. *Glia*. 1995 Nov;15(3):257–263. [[PubMed](#)]
- Ichimura, K; Schmidt, EE; Goike, HM; Collins, VP. Human glioblastomas with no alterations of the CDKN2A (p16INK4A, MTS1) and CDK4 genes have frequent mutations of the retinoblastoma gene. *Oncogene*. 1996 Sep 5;13(5):1065–1072. [[PubMed](#)]
- Hoang-Xuan, K; Merel, P; Vega, F; Hugot, JP; Cornu, P; Delattre, JY; Poisson, M; Thomas, G; Delattre, O. Analysis of the NF2 tumor-suppressor gene and of chromosome 22 deletions in gliomas. *Int J Cancer*. 1995 Feb 8;60(4):478–481. [[PubMed](#)]
- Ino, Y; Silver, JS; Blazejewski, L; Nishikawa, R; Matsutani, M; von Deimling, A; Louis, DN. Common regions of deletion on chromosome 22q12.3-q13.1 and 22q13.2 in human astrocytomas appear related to malignancy grade. *J Neuropathol Exp Neurol*. 1999 Aug;58(8):881–885. [[PubMed](#)]
- Miyakawa, A; Ichimura, K; Schmidt, EE; Varmeh-Ziaie, S; Collins, VP. Multiple deleted regions on the long arm of chromosome 6 in astrocytic tumours. *Br J Cancer*. 2000 Feb;82(3):543–549. [[PubMed](#)]
- Reifenberger, G; Liu, L; Ichimura, K; Schmidt, EE; Collins, VP. Amplification and overexpression of the MDM2 gene in a subset of human malignant gliomas without p53 mutations. *Cancer Res*. 1993 Jun 15;53(12):2736–2739. [[PubMed](#)]
- Reifenberger, G; Reifenberger, J; Ichimura, K; Meltzer, PS; Collins, VP. Amplification of multiple genes from chromosomal region 12q13-14 in human malignant gliomas: preliminary mapping of the amplicons shows preferential involvement of CDK4, SAS, and MDM2. *Cancer Res*. 1994 Aug 15;54(16):4299–4303. [[PubMed](#)]
- Reifenberger, G; Reifenberger, J; Ichimura, K; Collins, VP. Amplification at 12q13-14 in human malignant gliomas is frequently accompanied by loss of heterozygosity at loci proximal and distal to the amplification site. *Cancer Res*. 1995 Feb 15;55(4):731–734. [[PubMed](#)]
- Ekstrand, AJ; James, CD; Cavenee, WK; Seliger, B; Pettersson, RF; Collins, VP. Genes for epidermal growth factor receptor, transforming growth factor alpha, and epidermal growth factor and their expression in human gliomas in vivo. *Cancer Res*. 1991 Apr 15;51(8):2164–2172. [[PubMed](#)]
- Costello, JF; Plass, C; Cavenee, WK. Aberrant methylation of genes in low-grade astrocytomas. *Brain Tumor Pathol*. 2000;17(2):49–56. [[PubMed](#)]
- Watanabe, K; Sato, K; Biernat, W; Tachibana, O; von Ammon, K; Ogata, N; Yonekawa, Y; Kleihues, P; Ohgaki, H. Incidence and timing of p53 mutations during astrocytoma progression in patients with multiple biopsies. *Clin Cancer Res*. 1997 Apr;3(4):523–530. [[PubMed](#)]
- Reifenberger, J; Ring, GU; Gies, U; Cobbers, L; Oberstrass, J; An, HX; Niederacher, D; Wechsler, W; Reifenberger, G.

- Analysis of p53 mutation and epidermal growth factor receptor amplification in recurrent gliomas with malignant progression. *J Neuropathol Exp Neurol.* 1996 Jul;55(7):822–831. [[PubMed](#)]
- Lowe, Scott W; Sherr, Charles J. Tumor suppression by Ink4a-Arf: progress and puzzles. *Curr Opin Genet Dev.* 2003 Feb;13(1):77–83. [[PubMed](#)]
  - Roth, J; Dobbstein, M; Freedman, DA; Shenk, T; Levine, AJ. Nucleo-cytoplasmic shuttling of the hdm2 oncoprotein regulates the levels of the p53 protein via a pathway used by the human immunodeficiency virus rev protein. *EMBO J.* 1998 Jan 15;17(2):554–564. [[PubMed](#)]
  - Wang, JY; Knudsen, ES; Welch, PJ. The retinoblastoma tumor suppressor protein. *Adv Cancer Res.* 1994;64:25–85. [[PubMed](#)]
  - Serrano, M; Hannon, GJ; Beach, D. A new regulatory motif in cell-cycle control causing specific inhibition of cyclin D/CDK4. *Nature.* 1993 Dec 16;366(6456):704–707. [[PubMed](#)]
  - Steck, PA; Pershouse, MA; Jasser, SA; Yung, WK; Lin, H; Ligon, AH; Langford, LA; Baumgard, ML; Hattier, T; Davis, T; Frye, C; Hu, R; Swedlund, B; Teng, DH; Tavtigian, SV. Identification of a candidate tumour suppressor gene, MMAC1, at chromosome 10q23.3 that is mutated in multiple advanced cancers. *Nat Genet.* 1997 Apr;15(4):356–362. [[PubMed](#)]
  - Li, J; Yen, C; Liaw, D; Podsypanina, K; Bose, S; Wang, SI; Puc, J; Miliareis, C; Rodgers, L; McCombie, R; Bigner, SH; Giovanella, BC; Ittmann, M; Tycko, B; Hibshoosh, H; Wigler, MH; Parsons, R. PTEN, a putative protein tyrosine phosphatase gene mutated in human brain, breast, and prostate cancer. *Science.* 1997 Mar 28;275(5308):1943–1947. [[PubMed](#)]
  - Ichimura, K; Bolin, MB; Goike, HM; Schmidt, EE; Moshref, A; Collins, VP. Deregulation of the p14ARF/MDM2/p53 pathway is a prerequisite for human astrocytic gliomas with G1-S transition control gene abnormalities. *Cancer Res.* 2000 Jan 15;60(2):417–424. [[PubMed](#)]
  - Schmidt, EE; Ichimura, K; Goike, HM; Moshref, A; Liu, L; Collins, VP. Mutational profile of the PTEN gene in primary human astrocytic tumors and cultivated xenografts. *J Neuropathol Exp Neurol.* 1999 Nov;58(11):1170–1183. [[PubMed](#)]
  - Furnari, FB; Huang, HJ; Cavenee, WK. The phosphoinositol phosphatase activity of PTEN mediates a serum-sensitive G1 growth arrest in glioma cells. *Cancer Res.* 1998 Nov 15;58(22):5002–5008. [[PubMed](#)]
  - Myers, MP; Stolarov, JP; Eng, C; Li, J; Wang, SI; Wigler, MH; Parsons, R; Tonks, NK. P-TEN, the tumor suppressor from human chromosome 10q23, is a dual-specificity phosphatase. *Proc Natl Acad Sci U S A.* 1997 Aug 19;94(17):9052–9057. [[PubMed](#)]
  - Myers, MP; Pass, I; Batty, IH; Van der Kaay, J; Stolarov, JP; Hemmings, BA; Wigler, MH; Downes, CP; Tonks, NK. The lipid phosphatase activity of PTEN is critical for its tumor suppressor function. *Proc Natl Acad Sci U S A.* 1998 Nov 10;95(23):13513–13518. [[PubMed](#)]
  - Zundel, W; Schindler, C; Haas-Kogan, D; Koong, A; Kaper, F; Chen, E; Gottschalk, AR; Ryan, HE; Johnson, RS; Jefferson, AB; Stokoe, D; Giaccia, AJ. Loss of PTEN facilitates HIF-1-mediated gene expression. *Genes Dev.* 2000 Feb 15;14(4):391–396. [[PubMed](#)]
  - Knobbe, Christiane B; Reifenberger, Guido. Genetic alterations and aberrant expression of genes related to the phosphatidylinositol-3'-kinase/protein kinase B (Akt) signal transduction pathway in glioblastomas. *Brain Pathol.* 2003 Oct;13(4):507–518. [[PubMed](#)]
  - Sonoda, Y; Ozawa, T; Hirose, Y; Aldape, KD; McMahon, M; Berger, MS; Pieper, RO. Formation of intracranial tumors by genetically modified human astrocytes defines four pathways critical in the development of human anaplastic astrocytoma. *Cancer Res.* 2001 Jul 1;61(13):4956–4960. [[PubMed](#)]
  - Humphrey, PA; Wong, AJ; Vogelstein, B; Zalutsky, MR; Fuller, GN; Archer, GE; Friedman, HS; Kwatra, MM; Bigner, SH; Bigner, DD. Anti-synthetic peptide antibody reacting at the fusion junction of deletion-mutant epidermal growth factor receptors in human glioblastoma. *Proc Natl Acad Sci U S A.* 1990 Jun;87(11):4207–4211. [[PubMed](#)]
  - Wong, AJ; Ruppert, JM; Bigner, SH; Grzeschik, CH; Humphrey, PA; Bigner, DS; Vogelstein, B. Structural alterations of the epidermal growth factor receptor gene in human gliomas. *Proc Natl Acad Sci U S A.* 1992 Apr 1;89(7):2965–2969. [[PubMed](#)]
  - Sugawa, N; Ekstrand, AJ; James, CD; Collins, VP. Identical splicing of aberrant epidermal growth factor receptor transcripts from amplified rearranged genes in human glioblastomas. *Proc Natl Acad Sci U S A.* 1990 Nov;87(21):8602–8606. [[PubMed](#)]

- Nishikawa, R; Ji, XD; Harmon, RC; Lazar, CS; Gill, GN; Cavenee, WK; Huang, HJ. A mutant epidermal growth factor receptor common in human glioma confers enhanced tumorigenicity. *Proc Natl Acad Sci U S A*. 1994 Aug 2;91(16):7727–7731. [[PubMed](#)]
- Ekstrand, AJ; Longo, N; Hamid, ML; Olson, JJ; Liu, L; Collins, VP; James, CD. Functional characterization of an EGF receptor with a truncated extracellular domain expressed in glioblastomas with EGFR gene amplification. *Oncogene*. 1994 Aug;9(8):2313–2320. [[PubMed](#)]
- Mischel, Paul S; Cloughesy, Timothy F. Targeted molecular therapy of GBM. *Brain Pathol*. 2003 Jan;13(1):52–61. [[PubMed](#)]
- Ekstrand, AJ; Sugawa, N; James, CD; Collins, VP. Amplified and rearranged epidermal growth factor receptor genes in human glioblastomas reveal deletions of sequences encoding portions of the N- and/or C-terminal tails. *Proc Natl Acad Sci U S A*. 1992 May 15;89(10):4309–4313. [[PubMed](#)]
- Macdonald, DR; Gaspar, LE; Cairncross, JG. Successful chemotherapy for newly diagnosed aggressive oligodendroglioma. *Ann Neurol*. 1990 May;27(5):573–574. [[PubMed](#)]
- Reifenberger, J; Reifenberger, G; Liu, L; James, CD; Wechsler, W; Collins, VP. Molecular genetic analysis of oligodendroglial tumors shows preferential allelic deletions on 19q and 1p. *Am J Pathol*. 1994 Nov;145(5):1175–1190. [[PubMed](#)]
- Reifenberger, Guido; Louis, David N. Oligodendroglioma: toward molecular definitions in diagnostic neuro-oncology. *J Neuropathol Exp Neurol*. 2003 Feb;62(2):111–126. [[PubMed](#)]
- Cairncross, JG; Ueki, K; Zlatescu, MC; Lisle, DK; Finkelstein, DM; Hammond, RR; Silver, JS; Stark, PC; Macdonald, DR; Ino, Y; Ramsay, DA; Louis, DN. Specific genetic predictors of chemotherapeutic response and survival in patients with anaplastic oligodendrogliomas. *J Natl Cancer Inst*. 1998 Oct 7;90(19):1473–1479. [[PubMed](#)]
- Rausing, A; Ybo, W; Stenflo, J. Intracranial meningioma--a population study of ten years. *Acta Neurol Scand*. 1970;46(1):102–110. [[PubMed](#)]
- Mark, J; Levan, G; Mitelman, F. Identification by fluorescence of the G chromosome lost in human meningiomas. *Hereditas*. 1972;71(1):163–168. [[PubMed](#)]
- Trofatter, JA; MacCollin, MM; Rutter, JL; Murrell, JR; Duyao, MP; Parry, DM; Eldridge, R; Kley, N; Menon, AG; Pulaski, K, et al. A novel moesin-, ezrin-, radixin-like gene is a candidate for the neurofibromatosis 2 tumor suppressor. *Cell*. 1993 Mar 12;72(5):791–800. [[PubMed](#)]
- Rouleau, GA; Merel, P; Lutchman, M; Sanson, M; Zucman, J; Marineau, C; Hoang-Xuan, K; Demczuk, S; Desmaze, C; Plougastel, B, et al. Alteration in a new gene encoding a putative membrane-organizing protein causes neurofibromatosis type 2. *Nature*. 1993 Jun 10;363(6429):515–521. [[PubMed](#)]
- Shaw, RJ; Paez, JG; Curto, M; Yaktine, A; Pruitt, WM; Saotome, I; O'Bryan, JP; Gupta, V; Ratner, N; Der, CJ; Jacks, T; McClatchey, AI. The Nf2 tumor suppressor, merlin, functions in Rac-dependent signaling. *Dev Cell*. 2001 Jul;1(1):63–72. [[PubMed](#)]
- Lallemand, Dominique; Curto, Marcello; Saotome, Ichiko; Giovannini, Marco; McClatchey, Andrea I. NF2 deficiency promotes tumorigenesis and metastasis by destabilizing adherens junctions. *Genes Dev*. 2003 May 1;17(9):1090–1100. [[PubMed](#)]
- McClatchey, AI; Saotome, I; Mercer, K; Crowley, D; Gusella, JF; Bronson, RT; Jacks, T. Mice heterozygous for a mutation at the Nf2 tumor suppressor locus develop a range of highly metastatic tumors. *Genes Dev*. 1998 Apr 15;12(8):1121–1133. [[PubMed](#)]
- Kalamirides, Michel; Niwa-Kawakita, Michiko; Leblois, Hélène; Abramowski, Vincent; Perricaudet, Michel; Janin, Anne; Thomas, Gilles; Gutmann, David H; Giovannini, Marco. Nf2 gene inactivation in arachnoidal cells is rate-limiting for meningioma development in the mouse. *Genes Dev*. 2002 May 1;16(9):1060–1065. [[PubMed](#)]
- Giovannini, M; Robanus-Maandag, E; van der Valk, M; Niwa-Kawakita, M; Abramowski, V; Goutebroze, L; Woodruff, JM; Berns, A; Thomas, G. Conditional biallelic Nf2 mutation in the mouse promotes manifestations of human neurofibromatosis type 2. *Genes Dev*. 2000 Jul 1;14(13):1617–1630. [[PubMed](#)]
- Weber, RG; Boström, J; Wolter, M; Baudis, M; Collins, VP; Reifenberger, G; Lichter, P. Analysis of genomic alterations in benign, atypical, and anaplastic meningiomas: toward a genetic model of meningioma progression. *Proc Natl Acad Sci U S A*. 1997 Dec 23;94(26):14719–14724. [[PubMed](#)]

- Ozaki, S; Nishizaki, T; Ito, H; Sasaki, K. Comparative genomic hybridization analysis of genetic alterations associated with malignant progression of meningioma. *J Neurooncol.* 1999 Jan;41(2):167–174. [[PubMed](#)]
- Lamszus, K; Kluwe, L; Matschke, J; Meissner, H; Laas, R; Westphal, M. Allelic losses at 1p, 9q, 10q, 14q, and 22q in the progression of aggressive meningiomas and undifferentiated meningeal sarcomas. *Cancer Genet Cytogenet.* 1999 Apr 15;110(2):103–110. [[PubMed](#)]
- Cai, DX; James, CD; Scheithauer, BW; Couch, FJ; Perry, A. PS6K amplification characterizes a small subset of anaplastic meningiomas. *Am J Clin Pathol.* 2001 Feb;115(2):213–218. [[PubMed](#)]
- Cai, DX; Banerjee, R; Scheithauer, BW; Lohse, CM; Kleinschmidt-Demasters, BK; Perry, A. Chromosome 1p and 14q FISH analysis in clinicopathologic subsets of meningioma: diagnostic and prognostic implications. *J Neuropathol Exp Neurol.* 2001 Jun;60(6):628–636. [[PubMed](#)]
- Lindblom, A; Rutledge, M; Collins, VP; Nordenskjöld, M; Dumanski, JP. Chromosomal deletions in anaplastic meningiomas suggest multiple regions outside chromosome 22 as important in tumor progression. *Int J Cancer.* 1994 Feb 1;56(3):354–357. [[PubMed](#)]
- Büschges, Rainer; Ichimura, Koichi; Weber, Ruthild G; Reifenberger, Guido; Collins, V Peter. Allelic gain and amplification on the long arm of chromosome 17 in anaplastic meningiomas. *Brain Pathol.* 2002 Apr;12(2):145–153. [[PubMed](#)]
- Perry, Arie; Banerjee, Ruma; Lohse, Christine M; Kleinschmidt-DeMasters, Bette K; Scheithauer, Bernd W. A role for chromosome 9p21 deletions in the malignant progression of meningiomas and the prognosis of anaplastic meningiomas. *Brain Pathol.* 2002 Apr;12(2):183–190. [[PubMed](#)]
- Boström, J; Meyer-Puttitz, B; Wolter, M; Blaschke, B; Weber, RG; Lichter, P; Ichimura, K; Collins, VP; Reifenberger, G. Alterations of the tumor suppressor genes CDKN2A (p16(INK4a)), p14(ARF), CDKN2B (p15(INK4b)), and CDKN2C (p18(INK4c)) in atypical and anaplastic meningiomas. *Am J Pathol.* 2001 Aug;159(2):661–669. [[PubMed](#)]
- Li, YJ; Sanson, M; Hoang-Xuan, K; Delattre, JY; Poisson, M; Thomas, G; Hamelin, R. Incidence of germ-line p53 mutations in patients with gliomas. *Int J Cancer.* 1995 Dec 20;64(6):383–387. [[PubMed](#)]
- Hamilton, SR; Liu, B; Parsons, RE; Papadopoulos, N; Jen, J; Powell, SM; Krush, AJ; Berk, T; Cohen, Z; Tetu, B, et al. The molecular basis of Turcot's syndrome. *N Engl J Med.* 1995 Mar 30;332(13):839–847. [[PubMed](#)]
- Vortmeyer, AO; Stavrou, T; Selby, D; Li, G; Weil, RJ; Park, WS; Moon, YW; Chandra, R; Goldstein, AM; Zhuang, Z. Deletion analysis of the adenomatous polyposis coli and PTCH gene loci in patients with sporadic and nevoid basal cell carcinoma syndrome-associated medulloblastoma. *Cancer.* 1999 Jun 15;85(12):2662–2667. [[PubMed](#)]
- Kaufman, DK; Kimmel, DW; Parisi, JE; Michels, VV. A familial syndrome with cutaneous malignant melanoma and cerebral astrocytoma. *Neurology.* 1993 Sep;43(9):1728–1731. [[PubMed](#)]

Articles from *Journal of Neurology, Neurosurgery, and Psychiatry* are provided here courtesy of  
BMJ Group

[Write to PMC](#) | [PMC Home](#) | [PubMed](#)  
[NCBI](#) | [U.S. National Library of Medicine](#)  
[NIH](#) | [Department of Health and Human Services](#)  
[Privacy Policy](#) | [Disclaimer](#) | [Freedom of Information Act](#)